

Memo

Please share as appropriate.

To: North Dakota Clinical Laboratories
 From: Christie Massen (clmassen@nd.gov)
 Section Chief Officer, Division of Laboratory Services
 Date: 9/8/2020
 Re: Gastrointestinal (GI) Panel

The 2020 Directory of Services was sent out earlier this year. The Directory of Services is a resource meant to guide you from specimen collection through the processing and reporting of tests offered by our laboratory.

We have discontinued the following test: Enteric Panel PCR

We have added the following test:

Gastrointestinal (GI) Panel CPT CODE: 87507	<p>Acceptable Specimen: 1 ml stool in Cary-Blair medium</p> <p>This assay simultaneously tests for the following pathogens: <i>Campylobacter (C. jejuni/C. coli/C. upsaliensis)</i>, <i>Clostridium difficile</i> toxin A/B, <i>Plesiomonas shigelloides</i>, <i>Salmonella</i>, <i>Vibrio (V. parahaemolyticus/V. vulnificus/ V. cholerae)</i>, including specific identification of <i>Vibrio cholerae</i>, <i>Yersinia enterocolitica</i>, Enteroaggregative <i>E. coli</i> (EAEC), Enteropathogenic <i>E. coli</i> (EPEC), Enterotoxigenic <i>E. coli</i> (ETEC) <i>lt/st</i>, Shiga-like toxin-producing <i>E. coli</i> (STEC) <i>stx1/stx2</i> (including specific identification of the <i>E. coli</i> O157 serogroup within STEC), <i>Shigella/</i> Enteroinvasive <i>E. coli</i> (EIEC), <i>Cryptosporidium</i>, <i>Cyclospora cayetanensis</i>, <i>Entamoeba histolytica</i>, <i>Giardia lamblia</i> (also known as <i>G. intestinalis</i> and <i>G. duodenalis</i>), Adenovirus F 40/41, Astrovirus, Norovirus GI/GII, Rotavirus A, Sapovirus (Genogroups I, II, IV, and V)</p> <p>Stability: Ambient: 4 days; Refrigerated: 4 days; Frozen: Unacceptable</p> <p>Normal Value: Not Detected</p> <p>Turn Around Time: 2 days</p>	\$180
--	--	-------

For the updated Directory of Services and/or Test Request Form, please refer to our website:

<http://www.ndhealth.gov/microlab/>

If you have any questions, please contact our facility for the recommended guidance.

We are here to serve you!